Hospital Admissions and ICU stays by Most Responsible Diagnosis December 14, 2020 to September 30, 2021

Notes:

#1: Where the # hospital admissions/ or ICU stays indicated <5 -- I used 2 for aggregation purposes

#2: As the dates indicate, these data do not include the 4th wave (Delta/ OMICRON)

[The list of diagnoses is 82 pages long, so I've selected only some of the diagnoses listed for people admitted to hospital or ICU visits]

| DIAGNOSIS (Most responsible) | # Hospital | # ICU visits |
|---|------------|--------------|
| Abnormal levels of other serum enzymes | 300 | 61 |
| Abnormal weight loss | 141 | 13 |
| Abnormal cardiovascular function studies ⁱ | 2,930 | 834 |
| Accidental puncture or laceration | 479 | 109 |
| Acidosis | 444 | 217 |
| Acute myeloblastic leukaemia | 161 | 16 |
| Acute myocardial infarction | 172 | 67 |
| Acute myocardial infarction, unspecified | 172 | 67 |
| Acute myocarditis | 13 | 0 |
| Acute pain | 407 | 43 |
| Acute pancreatitis | 413 | 38 |
| Acute peritonitis | 324 | 82 |
| Acute pericarditis, unspecified | 69 | 21 |
| Acute renal failure | 3,896 | 893 |
| Acute subenocardial myocardial infarction | 2,909 | 828 |

| Alcoholic cirrhosis of liver | 298 | 48 |
|--|-------|-----|
| Alzheimer's disease | 272 | 11 |
| Anaemia | 1,954 | 309 |
| Anorexia | 81 | 10 |
| Anoxic brain damage | 69 | 58 |
| Anticoagulants causing adverse event | 601 | 129 |
| Anxiety disorder | 584 | 56 |
| Aortic valve stenosis | 599 | 150 |
| Asphyxia | 276 | 68 |
| Atrial fibrillation | 2,795 | 754 |
| Bacterial infection | 265 | 46 |
| Bronchopneumonia | 289 | 55 |
| Carrier of drug resistant staphylococcus | 333 | 34 |
| Carrier of other bacterial diseases | 440 | <5 |
| Cellulitis of lower limb | 722 | 65 |
| Cellulitis of upper arm | 220 | 36 |
| Cerebral infarction | 563 | 76 |
| Chest pain | 424 | 70 |
| Chronic kidney disease, stage 5 | 427 | 74 |
| Chronic kidney disease, unspecified | 820 | 145 |
| Chronic obstructive pulmonary disease | 1094 | 155 |
| Chronic viral hepatitis C | 194 | 29 |

| Congestive heart failure | 3,754 | 844 |
|---|-------|-----|
| Constipation | 1,205 | 84 |
| Coronavirus disease 2019 [COVID-19] virus identified | 304 | 80 |
| Coronavirus disease 2019 [COVID-19] virus not identified | 7 | <5 |
| COVID-19 vaccines causing adverse reaction in therapeutic use | 69 | 13 |
| Dehydration | 1,142 | 112 |
| Delirium | 1,447 | 237 |
| Depressive episode | 363 | 29 |
| Disorders of calcium metabolism | 479 | 65 |
| Disorders of magnesium metabolism | 778 | 111 |
| Disorders of phosphorus metabolism | 537 | 118 |
| Disorientation, unspecified | 822 | 101 |
| Diverticular disease of large intestine without perforation | 398 | 27 |
| Dizziness | 347 | 28 |
| Encephalopathy, unspecified | 40 | 18 |
| Enterocolitis due to C-difficile | 451 | 72 |
| E-coli | 1,209 | 145 |
| Exceptionally large baby | 45 | 0 |
| Fall involving bed | 120 | 8 |
| Fall involving chair | 90 | 6 |
| Fall on or from stairs and steps | 268 | 20 |
| Fall on same level from slipping, tripping, stumbling | 1,145 | 41 |

| Fever | 956 | 122 |
|---|-------|-----|
| Gastroenteritis and colitis | 922 | 114 |
| Headache | 225 | 33 |
| Homelessness | 395 | 17 |
| Hypokalaemia (low potassium) | 1,784 | 220 |
| Hypotension (unspecified) | 1,731 | 658 |
| Infection following a procedure | 817 | 164 |
| Influenza with other respiratory manifestations, virus not ID | <5 | <5 |
| Intentional self-poisoning (alcohol) | 25 | 9 |
| Intentional self-poisoning (all other) | 297 | 117 |
| Klebsiella pneumoniae | 402 | 68 |
| Lobar pneumonia | 134 | 25 |
| Lyme disease | 70 | 13 |
| Malaise and fatigue | 1,770 | 139 |
| Malignant neoplasms [cancer of many types] | 6,441 | 388 |
| Mental and behavioural disorders due to drug use (alcohol, cannabinoids,cocaine, hallucinogens, | | |
| opioids) | 3,380 | 327 |
| Myocarditis, unspecified | 28 | 5 |
| Nausea alone | 376 | 31 |
| Nausea with vomiting | 760 | 67 |
| Neonatal jaundice | 303 | 0 |
| Neutropenia | 385 | 44 |

| Osteoporosis | 598 | 17 |
|--|---|---|
| Other medical procedures as the cause of abnormal Reaction or later complication | 602 | 233 |
| Other surgical procedures as the cause of abnormal Reaction or later complication | 686 | 120 |
| Other specified bacterial agents as the cause of Diseases classified to other chapters | 401 | 85 |
| Complications of cardiac and vascular prosthetic devices, Implants and grafts | 358 | 86 |
| Palliative care | 5,193 | 716 |
| Person awaiting admission to adequate facility elsewhere | 2,330 | 99 |
| Pneumonia, unspecified | 2,192 | 391 |
| Portal vein thrombosis | 51 | 14 |
| | | |
| Post COVID-19 condition | 18 | 6 |
| Post COVID-19 condition Postoperative intestinal obstruction | 18 387 | 6 78 |
| | | |
| Postoperative intestinal obstruction | 387 | 78 |
| Postoperative intestinal obstruction Postoperative leak | 387 231 | 78 78 |
| Postoperative intestinal obstruction Postoperative leak Pulmonary embolism | 387 231 678 | 78 78 183 |
| Postoperative intestinal obstruction Postoperative leak Pulmonary embolism Rash and other nonspecific skin eruption | 387 231 678 163 | 78 78 183 25 |
| Postoperative intestinal obstruction Postoperative leak Pulmonary embolism Rash and other nonspecific skin eruption Resistance to multiple antibiotics | 387 231 678 163 128 | 78 78 183 25 27 |
| Postoperative intestinal obstruction Postoperative leak Pulmonary embolism Rash and other nonspecific skin eruption Resistance to multiple antibiotics Respiratory failure, unspecified [hypoxic] | 387 231 678 163 128 234 | 78 78 183 25 27 170 |
| Postoperative intestinal obstruction Postoperative leak Pulmonary embolism Rash and other nonspecific skin eruption Resistance to multiple antibiotics Respiratory failure, unspecified [hypoxic] Restlessness and agitation | 387 231 678 163 128 234 617 | 78 78 183 25 27 170 193 |

| Sepsis, unspecified | 813 | 336 |
|---|-------|-----|
| Septic shock | 311 | 267 |
| Severe depressive episode with psychotic symptoms | 182 | 11 |
| Sleep apnoea, obstructed | 545 | 145 |
| Thrombocytopenia, unspecified | 301 | 77 |
| Type 2 diabetes mellitus with circulatory complications | 4,595 | 948 |
| Type 2 diabetes mellitus with advance kidney disease | 1,488 | 290 |
| Type 2 diabetes mellitus without mention of complications | 3,568 | 228 |
| Unintentional cut, puncture, perforation or haemorrhage During a surgical operation | 448 | 92 |
| Urinary tract infection | 3,863 | 394 |

 $^{^{\}rm i}$ This includes "biomarkers or ECG suggestive of non ST segment elevation myocardia"